

SEL-1018

Super wide-angle zoom with constant aperture of F4



10-18mm F4 super wide-angle zoom lens with Super ED glass and Optical SteadyShot image stabilisation

- Maximum aperture of F4 across focal length range
- Go super wide with minimum focal length of 10mm
- Image stabilisation enhances low-light shooting

Features

Experiment with space and perspective

a minimum focal length of only 10mm lets you capture striking interior shots as well as dramatic landscapes

Enjoy greater creative control

because the F4 maximum aperture remains unchanged even when zooming, you can adjust depth of field more freely

Noise-free shots even in low light

with a constant maximum aperture of F4, you can use fast shutter speeds without raising ISO sensitivity unnecessarily

Precise, high quality images

three aspherical lens elements minimise spherical aberration and distortion, with less bleed even at maximum aperture

Capture beauty in the blur

the signature circular aperture helps create beautifully smooth, rounded blur on the out-of-focus elements in a shot

Rich image quality with Super ED glass

Super Extra-Low Dispersion glass reduces chromatic aberrations to sharpen image quality even at the 10mm focal length

Built-in image stabilisation

when shooting hand-held, particularly night scenes or dimly lit interiors, Optical SteadyShot enables detailed, blur-free results

Specifications

Lens Specifications

Product Name	E 10-18mm F4 OSS
35mm equivalent focal length when used with APS-C sensor camera	15-27
Lens Groups-Elements	8-10
Angle of View, attached to APS-C-format camera; degrees	109°-76°
Aperture Blades	7
Circular Aperture	YES
Min. Aperture	22
Min. Focus (shortest distance from image sensor to subject); m	0.25
Max.Magnification	0.1
Filter Diameter; mm	62
Dimension(Max. Diameter x Length); mm	70 x 63.5
Weight(approx.) ; g	225

Supplied Accessories

Front lens cap	YES
Rear lens cap	YES
Lens hood	YES

Accessories



VF-62MPAM

MC Protecting Filter



VF-62CPAM

Circular Polarising (PL) Filter



VF-62NDAM

Neutral Density (ND) Filter



LCL-90AM

Lens Carrying Case



VF-62MPAM

MC Protecting Filter



VF-62CPAM

Circular Polarising (PL) Filter



VF-62NDAM

Neutral Density (ND) Filter



ALC-F62S

Replacement front lens cap



ALC-R1EM

Protects lens from dust and scratches when not attached to camera body



ALC-R1EM

Protects lens from dust and scratches when not attached to camera body